

# Silentia+ • Series 700 • Technical features



**Hinges with adjustable integrated soft-close mechanism operated by twin silicone-oil dampers housed in the hinge cup.**

**The decelerating effect is adjusted by using a simple switch.**



**Dimensions of the Ø 35 mm cup.**

All hinges are also available in titanium finish; to order Titanium please change the part number as shown in the example below.

Example: C2ABAE9 = nickel-plated  
C2ABAE6 = titanium



## Approx. number of hinges required according to the door dimension and weight.




## Adjustments

Compensated side adjustment from -1.5 mm to +4.5 mm.  
Height adjustment  $\pm 2$  mm.  
Depth adjustment with Series 200 mounting plates +2.8 mm.  
Depth adjustment with Domi snap-on mounting plates from -0.5 mm to +2.8 mm.  
Anti-sliding safety stop.

## Mounting plates

Symmetrical and asymmetrical bright nickel plated steel or die-cast Series 200 mounting plates.  
Snap-on assembly on Domi mounting plates.  
Positioning with pre-determined stop on traditional Series 200 mounting plates.

N.B. : Use POZIDRIVE No. 2 screwdrivers for all screws.



## Technical information

### Crampon hinges.

For cabinet sides with 37x32 mm standard drilling.

Hinges for min. 16 mm thick doors.

13.5 mm deep cup.

110° opening.

Possible drilling distance on the door (K): from 3 to 6 mm.

Compatible with all traditional Series 200 mounting plates and with all Domi snap-on mounting plates.

### E min:

- 61 mm for Series 200 mounting plates.
- 70 mm for Domi snap-on mounting plates.
- 74 mm for Domi snap-on mounting plates with back cam.

### Packing Nickel-plated finish



Boxes 150 pcs. • Pallets 3.600 pcs.

### Packing Titanium finish

Check with the sales office for the minimum order quantity

All hinges are also available in titanium finish; to order Titanium please change the part number as shown in the example below.




Example: C7A6NE9AC = nickel-plated  
C7A6NE6AC = titanium




\* A=1 K=3

		Soft close Nickel-plated finish					
Fixing		48	45	52			
	Wood screw	C7A6NE9AC	C7P6NE9AC	C7U6NE9AC			
	Rapido	C766NE9AC	C776NE9AC	C726NE9AC			
	Dowel	C7B6NE9AC	C7R6NE9AC	C7W6NE9AC			
	Logica	C7I6NE9AC	C7J6NE9AC	C7Q6NE9AC			

Heights of mounting plates for every assembly.



Silentia+ • Series 700 • Complementary hinges



Technical information

**Long crampon hinges.**  
**Hinges for min. 16 mm thick doors.**  
**13.5 mm deep cup.**  
110° opening.

Possible drilling distance on the door (K): from 3 to 6 m.  
Compatible with all traditional Series 200 mounting plates and with all Domi snap-on mounting plates.

- E min:**
- 61 mm for Series 200 mounting plates.
  - 70 mm for Domi snap-on mounting plates.
  - 74 mm for Domi snap-on mounting plates with back cam.

**Packing Nickel-plated finish**



Boxes 150 pcs. • Pallets 3.600 pcs.

**Packing Titanium finish**

Check with the sales office for the minimum order quantity




All hinges are also available in titanium finish; to order Titanium please change the part number as shown in the example below.


Example: C7A6NE9AM = nickel-plated  
C7A6NE6AM = titanium



		Soft close Nickel-plated finish					
Fixing		48	45	52			
	Wood screw	C7A6NE9AM	C7P6NE9AM	C7U6NE9AM			
	Rapido	C766NE9AM	C776NE9AM	C726NE9AM			
	Dowel	C7B6NE9AM	C7R6NE9AM	C7W6NE9AM			
	Logica	C7I6NE9AM	C7J6NE9AM	C7Q6NE9AM			

Heights of mounting plates for every assembly.





## Technical information

### Crampon hinges.

**For smaller spaces with 15x32 mm drilling.**

**Hinges for min. 16 mm thick doors.**

**13.5 mm deep cup.**

110° opening.

Possible drilling distance on the door (K): from 3 to 6 mm.

Compatible with all traditional Series 200 mounting plates, 28x32 mm drilling.

**NOT COMPATIBLE** with Domi snap-on mounting plates.

### Packing Nickel-plated finish



Boxes 150 pcs. • Pallets 3.600 pcs.

### Packing Titanium finish

Check with the sales office for the minimum order quantity

All hinges are also available in titanium finish; to order Titanium please change the part number as shown in the example below.

Example: C7A6NE9 = nickel-plated  
C7A6NE6 = titanium



		Soft close Nickel-plated finish					
Fixing		48	45	52			
	Wood screw	C7A6NE9	C7P6NE9	C7U6NE9			
	Rapido	C766NE9	C776NE9	C726NE9			
	Dowel	C7B6NE9	C7R6NE9	C7W6NE9			
	Logica	C7I6NE9	C7J6NE9	C7Q6NE9			

Heights of mounting plates for every assembly.

