

# Accessories

## SALICE

### Accessories • Silentia+

#### Hinge arm cover caps

\*Check with your Salice sales representative or customer service for specific Titanium availability





Symmetrical steel screw cover cap, it can be personalized on request.

For 100, 200, 700 and N Series hinges..

Min order quantity is 10,000 and a lead time of 10 weeks is required for personalized printed cover caps.





S2XX83A1



Symmetrical steel screw cover cap with personalized embossed logo.

For 100, 200, 700 and N Series hinges.

Min order quantity of 100,000 and a lead time of 10 weeks is required for personalized embossed cover caps.

Nylon symmetrical screw cover cap without printed logo.

For 100, 200 and 700 Series hinges.

Min. order quantity and lead time required for personalized cover caps. Excluded: 155° opening hinges.





Nylon symmetrical screw cover cap with printed logo.

For 100, 200 and 700 Series hinges.

Min. order quantity is 10,000 and a lead time of 10 weeks is required for personalized printed cover caps. Excluded: 155° opening hinges.

#### Flange cover caps

\*Check with your Salice sales representative or customer service for specific Titanium availability

#### S2XX85H9 - Nickel S2XX85H6 - Titanium



Steel flange cover cap, it can be personalized on request.

For all 100, 200, 700 Series.

Min order quantity of 10,000 and a lead time of 10 weeks is required for personalized printed cover caps.

#### S2CX85H9 - Nickel S2CX85H6 - Titanium



Steel flange cover cap with embossed logo.

For all 100, 200 and 700 Series,

Min order quantity of 10,000 and a lead time of 10 weeks is required for personalized printed cover caps.

#### **Spacers and gauge for Silentia+ hinges**

**S2XF86** 



**S2XF86BT** = 0.6 mm **S2XF86AT** = 1.2 mm **S2XF86KT** = 1.8 mm

for 155° hinges.

#### Spacer to reduce the drilling depth **S2XX86**



Spacer to reduce the drilling depth for 94°, 105° and 110° hinges.

**S2XX86BT** = 0.6 mm **S2XX86AT** = 1.2 mm **S2XX86KT** = 1.8 mm

### D A AC SN



Gauge to check the diameter and the depth of the drilling.

**D1A6AC3SN** = 12 mm **D2ABACGSN** = 15.5 mm **D7A6ACYSN** = 13.5 mm



Fancy cover for metal profiles hinges.

## SALICE

#### Accessories • Silentia+ face frame

### SUXX83C







## SUXX83L





Cover cap for partial overlay Silentia+ face frame hinges.

- Compatible with overlays from  $1/2^{\prime\prime}$  to  $3/4^{\prime\prime}$ .
- Nylon
- Available in multiple colors

Cover caps can be personalized with customer logo upon request - Minimum order is 10.000 pcs.

- Blank cover cap packaging: 5000 pcs.

SUXX83C**1** = White SUXX83C**G** = Grey SUXX83C**6** = Titanium

Cover cap for full overlay Silentia+ face frame hinges.

- Compatible with overlays from 1" to 1 3/8".
- Nylon
- Available in multiple colors

Cover caps can be personalized with customer logo upon request - Minimum order is 10.000 pcs.

- Blank cover cap packaging: 5000 pcs.

SUXX83L**1** = White SUXX83L**G** = Grey SUXX83L**6** = Titanium



SUP337XG



Angle reduction clip for Silentia+ face frame hinges. Compatible with all overlays, clips on easy.

Limits opening to 86°.

Packaging 500.







#### **Angle reduction**

### **S2A637XF**



For all 200 Series hinges, it limits opening at about 86°.

#### **S1E637XY**



For all 100 and 700 Series hinges, it limits opening at about  $86^{\circ}$ .



S2BF37XY



For 155° hinges, it limits opening at 135°.

For 155° hinges,

it limits opening at 92°.



**S2AF37X3** 



For 155° hinges, it limits opening at 140°.





S2BM37XG







S2AM37XG





For 155° hinges, it limits opening at 120°.

# SALICE

### Accessories • Face Frame

#### Wood screw

**Data for orders Packaging:** 1 x 100 pcs.



 VU73X154
 # 6 x 5/8" FHP

 V234X166
 # 6 x 5/8" wood screw in Titanium FHP



**VU74X194** # 8 x 3/4" modified truss head wood screw

**Pozi driver** The #2 Pozi driver is recommended for usage on all Euro hinges adjustment screws

**Data for orders Packaging:** 1 x 100 pcs.

### D2A7XCXCP

