Silentia+



Silentia+



Series C1Z For metal profiles Complementary hinges

Technical information

Crampon hinges. For cabinet sides with 37x32 mm standard drilling.
Hinges specially developed for use with metal profiles.
105° opening.
We recommend the use of countersunk flat head self tapping screws ø 2.9x6.5 UNI 6955 DIN 7982 to fix C1Z6 hinges.
Compatible with all traditional Series 200 mounting plates and with all Domi snap-on mounting plates.


E min:
- 61 mm for Series 200 mounting plates.
- 70 mm for Domi snap-on mounting plates.
- 74 mm for Domi snap-on mounting plates with back cam.


Packing Nickel-plated finish: Boxes 150 pcs. • Pallets 3.600 pcs.

All hinges are also available in titanium finish. Check with the sales office for the minimum order quantity and change the part number as shown in the example below:

- C1Z6NE9AC = nickel-plated
- C1Z6NE6AC = titanium







	Soft close Nickel-plated finish
	
	C1Z6NE9AC

Heights of mounting plates for every assembly.


H = 0



H = 3



H = 6





Serie C1Z For metal profiles Complementary hinges
Technical information


Crampon hinges. For smaller spaces with 15x32 mm drilling.
Hinges specially developed for use with metal profiles.
105° opening.
We recommend the use of countersunk flat head self tapping screws ø 2.9 x 6.5 UNI 6955 DIN 7982 to fix C1Z6 hinges.
Compatible with all traditional Series 200 mounting plates, drilling 28x32 mm.
NOT COMPATIBLE with Domi snap-on mounting plates.


Packing Nickel-plated finish: Boxes 150 pcs. • Pallets 3.600 pcs.

All hinges are also available in titanium finish. Check with the sales office for the minimum order quantity and change the part number as shown in the example below:

- C1Z6NE**9** = nickel-plated
- C1Z6NE**6** = titanium







	Soft close Nickel-plated finish
	
	C1Z6NE9

Heights of mounting plates for every assembly.


H = 0



H = 9





H = 12




Drilling of the metal profile

Countersunk flat head self tapping screws ø 2.9x6.5 UNI 6955 - DIN 7982







	Part number	Description
	D1Z6HSK	Fancy cover for hinge (should be ordered separately)