



# Progressa+ Push

## Progressa+ - Full extension runner for 13 mm to 16 mm drawer material thickness

### Push




**PUSH: THE OPENING SYSTEM FOR HANDLE-LESS DRAWERS IS FULLY INTEGRATED IN THE RUNNER.**  
**A SLIGHT PRESSURE OF THE DRAWER FRONT IS ENOUGH FOR THE DRAWER TO OPEN.**

#### Product features

- 70 kg Dynamic load capacity
- Available in the full range of lengths from 350 mm to 750 mm in 50 mm increments
- Full extension with a synchronized mechanism
- Integrated Push opening system
- Elongated holes for depth and height adjustment
- Adjustable clips allow for easy drawer insertion and removal
- The drawer is latched when closed
- Frameless or blocked out face frame applications
- Tool free height adjustments + 2.5 mm
- Tool free depth adjustments +/- 3 mm
- Tool free side adjustments +/- 1.5 mm
- Optional:
  - tool free tilt adjustment +3 mm
  - Push Synchronizer
- 13 mm to 16 mm drawer material thickness
- Compatible with Lineabox Easy drawers
- Finish: bright zinc-plated
- 100% Made in Italy

## Dimensions



## Part number



BASIC PART NUMBER	RUNNER LENGTH (LN) mm	MIN. DEPTH OF THE CABINET (PM) mm
<b>G7E6P350XXF6</b>	350	360
<b>G7E6P400XXF6</b>	400	410
<b>G7E6P450XXF6</b>	450	460
<b>G7E6P500XXF6</b>	500	510
<b>G7E6P550XXF6</b>	550	560
<b>G7E6P600XXF2</b>	600	610
<b>G7E6P650XXF2</b>	650	660
<b>G7E6P700XXF2</b>	700	710
<b>G7E6P750XXF2</b>	750	760



### **AFCGXX3B** Right and left

PACKING  
2 boxes = 100 pcs right and 100 pcs left

## Progressa+ - Full extension runner for 18-19 mm drawer material thickness

### Push




**PUSH: THE OPENING SYSTEM FOR HANDLE-LESS DRAWERS IS FULLY INTEGRATED IN THE RUNNER.**  
**A SLIGHT PRESSURE OF THE DRAWER FRONT IS ENOUGH FOR THE DRAWER TO OPEN.**

#### Product features

- 70 kg Dynamic load capacity
- Available in the full range of lengths from 350 mm to 750 mm in 50 mm increments
- Full extension with a synchronized mechanism
- Integrated Push opening system
- Elongated holes for depth and height adjustment
- Adjustable clips allow for easy drawer insertion and removal
- The drawer is latched when closed
- Frameless or blocked out face frame applications
- Tool free height adjustments + 2.5 mm
- Tool free depth adjustments +/- 3 mm
- Tool free side adjustments +/- 1.5 mm
- Optional:
  - tool free tilt adjustment +3 mm
  - Push Synchronizer
- 18-19 mm drawer material thickness
- Compatible with Lineabox Easy drawers
- Finish: bright zinc-plated
- 100% Made in Italy

### Dimensions






## Part number



BASIC PART NUMBER	RUNNER LENGTH (LN) mm	MIN. DEPTH OF THE CABINET (PM) mm
<b>G7E9P350XXF6</b>	350	360
<b>G7E9P400XXF6</b>	400	410
<b>G7E9P450XXF6</b>	450	460
<b>G7E9P500XXF6</b>	500	510
<b>G7E9P550XXF6</b>	550	560
<b>G7E9P600XXF2</b>	600	610
<b>G7E9P650XXF2</b>	650	660
<b>G7E9P700XXF2</b>	700	710
<b>G7E9P750XXF2</b>	750	760



### **AFCGXX3B** Right and left

PACKING  
2 boxes = 100 pcs right and 100 pcs left