



SALICE

eXcessories

*Modular
drawers and
shelves*

ENG



Modular drawers and shelves

Elegance, functionality, and design freedom come together in the **Excessories** collection, designed for those seeking customizable furnishing solutions with refined aesthetics.

Modular drawers and shelves, easily adaptable and simple to assemble, offer **exceptional versatility and total flexibility** for any design requirement.

High-quality craftsmanship, finely detailed profiles, and sophisticated finishes make every element elegant without compromising practicality.

Modularity and customization also extend to the accessories, for space management tailored to any need.



Modular drawers

With clean lines and a modern look, **Excessories modular drawers** are available in various heights and versions:

- **3 sides** with wooden front
- **4 sides** fully in aluminium

Each configuration can be enhanced with **glass or wooden** bottoms for an even more distinctive design touch.



Accessories

Trouser racks, skirt holders, dividers:
every detail is designed to transform drawers into
functional, refined, and perfectly organized spaces.

The essential and elegant design integrates
harmoniously with **any wardrobe or walk-in closet**,
regardless of style or finish.



Modular shelves

Light and transparency redefine the space.

Excessories **illuminated shelves** enhance every garment and accessory, bringing dynamism and elegance to the entire wardrobe.

The lighting system is **fully integrated and invisible**, while the glass surface amplifies the visual effect. Everything is completed by **metal tube clothes** rails and meticulously detailed bracket craftsmanship.



Index



Modular drawer

Technical information	page 14
3-sided drawer H 52 mm - wooden frontal	page 16
3-sided drawer H 78 mm - wooden frontal	page 18
3-sided drawer H 128 mm - wooden frontal	page 20
4-sided drawer H 52 mm	page 22
4-sided drawer H 78 mm	page 24
4-sided drawer H 128 mm	page 26
Trousers hanger for drawer	page 28
Skirt hanger for drawer	page 29
Adjustments	page 30



Modular shelf

Aluminium frame H 36 mm	page 32
-------------------------	---------



Electrical components
for modular shelf

Electrical components	page 36
-----------------------	---------






*Modular
drawer*


Modular drawer

Technical information


3-SIDED drawer - For wooden frontal, thickness 12 mm



3-SIDED drawer - For wooden frontal, thickness 19 mm




4-SIDED drawer




Runner length (LN) mm	Drawer depth (PF) mm	Drawer depth 3-SIDED (P) mm + wooden frontal 12 mm	Drawer depth 3-SIDED (P) mm + wooden frontal 19 mm	Drawer depth 4-SIDED (P) mm
400	428	440	447	440
450	478	490	497	490
470	498	510	517	510

Drawers alignment

With the same side drilling, 4-sided drawers are **frontally aligned** with 3-sided drawers with wooden frontal (12 mm thickness) as illustrated below.



With the same side drilling, 4-sided drawers are **not frontally aligned** with 3-sided drawers with wooden frontal (19 mm thickness), as illustrated below.





Modular drawer

3-SIDED H 52 - wooden frontal


ALUMINIUM 3-SIDED DRAWER H 52 WOODEN FRONTAL H 75

- Profile height: 52 mm
- Max. drawer width: min. 250 mm - max. 1250 mm
- Side material: epoxy-coated aluminium
- Side finish: metal grey brown
- Corners material: ABS
- Corners finish: metal grey brown
- Integrated height and depth adjustments
- Equipped with anti-tipping device
- Back to cut to length with gasket to insert
- Side supplied with gasket to be inserted and with Futura full-extension runners (CHART 1)
- Kit for the wooden frontal fixing, to be ordered separately (CHART 2)
- Frontal and bottom not included
- Bottom can be made of wood or glass







LV = cabinet width


ASSEMBLY WITH WOODEN FRONTAL, 12 mm THICKNESS



ASSEMBLY WITH WOODEN FRONTAL, 19 mm THICKNESS




INTERNAL DIMENSIONS



* internal dimensions from the corners

1. Joints for back profile
2. Back corners
3. Screws TPS DELTA PT 4x23 mm
4. Back profile
5. Side profiles

6. Euroscrews TPSV 6.3x14 mm
7. Fixing caps
8. Aluminium profile
9. Connecting elements for the frontal
10. Screws TPS M 4x12 mm



PART NUMBER KIT RUNNERS AND SIDE PROFILES	Runner length (LN) mm	Drawer depth (P) mm	PACKAGE DIMENSIONS mm	PACKAGE WEIGHT Kg
VE80QBAG40033A	400	440	121 x 681 x H 116	2.8
VE80QBAG45033A	450	490	121 x 731 x H 116	3.2
VE80QBAG47033A	470	510	121 x 751 x H 116	3.4

PART NUMBER KIT BACK PROFILE AND KIT FOR FRONTAL	Profile length mm	PACKAGE DIMENSIONS mm	PACKAGE WEIGHT Kg
VE80QBCA07033A	700	95 x 743 x H 80	1
VE80QBCA09033A	900	95 x 943 x H 80	1.3
VE80QBCA12533A	1250	95 x 1293 x H 80	1.8

Technical drawing of a long plate with dimensions and hole patterns. The plate has a total length of 1500 mm. The drawing shows the following dimensions and features:

- Top Dimensions:**
 - 10 mm (from left edge to first hole center)
 - 12.5 mm (between first and second hole centers)
 - 14 mm (between second and third hole centers)
 - 10 mm (between third and fourth hole centers)
 - 32 mm (between fourth and fifth hole centers)
 - 12.5 mm (between sixth and seventh hole centers)
 - 10 mm (from eighth hole center to right edge)
- Left Side Dimensions:**
 - 25 mm (from top edge to first hole center)
 - 24 mm (from bottom edge to first hole center)
- Right Side Dimensions:**
 - 25 mm (from top edge to eighth hole center)
 - 24 mm (from bottom edge to eighth hole center)
- Hole Patterns:**
 - 3 pairs of holes up to L = 600 mm:** Indicated by a red dimension line labeled 'X'.
 - 4 pairs of holes from L = 601 mm to L = 1500 mm:** Indicated by a red dimension line labeled 'X'.
- Other Features:**
 - A central rectangular feature with a dashed outline and a red dimension line labeled 'X'.
 - A diagonal hole labeled $\varnothing 5 \times 10$ located near the right edge.
 - The label 'LF' is centered below the plate.



Runner length (LN) mm	Drawer width (L) mm	Frontal width (LF) mm	Internal width (L1) mm	Drawer depth (P) mm + wooden frontal 12 mm	Drawer depth (P) mm + wooden frontal 19 mm	Internal depth (P1) mm
400	LV - 15	LV - 6	L - 80	440	447	386
450				490	497	436
470				510	517	456

Modular drawer

3-SIDED H 78 - wooden frontal


ALUMINIUM 3-SIDED DRAWER H 78 WOODEN FRONTAL H 100

- Profile height: 78 mm
- Max. drawer width: min. 250 mm - max. 1250 mm
- Side material: epoxy-coated aluminium
- Side finish: metal grey brown
- Corners material: ABS
- Corners finish: metal grey brown
- Integrated height and depth adjustments
- Equipped with anti-tipping device
- Back to cut to length with gasket to insert
- Side supplied with gasket to be inserted and with Futura full-extension runners (CHART 1)
- Kit for the wooden frontal fixing, to be ordered separately (CHART 2)
- Frontal and bottom not included
- Bottom can be made of wood or glass







LV = cabinet width


ASSEMBLY WITH WOODEN FRONTAL, 12 mm THICKNESS



ASSEMBLY WITH WOODEN FRONTAL, 19 mm THICKNESS




INTERNAL DIMENSIONS



* internal dimensions from the corners

1. Joints for back profile
2. Back corners
3. Screws TPS DELTA PT 4x23 mm
4. Back profile
5. Side profiles

6. Euroscrews TPSV 6.3x14 mm
7. Fixing caps
8. Aluminium profile
9. Connecting elements for the frontal
10. Screws TPS M 4x12 mm



PART NUMBER KIT RUNNERS AND SIDE PROFILES	Runner length (LN) mm	Drawer depth (P) mm	PACKAGE DIMENSIONS mm	PACKAGE WEIGHT Kg
VE80QDAG40033A	400	440	121 x 681 x H 116	3
VE80QDAG45033A	450	490	121 x 731 x H 116	3.4
VE80QDAG47033A	470	510	121 x 751 x H 116	3.7

PART NUMBER KIT BACK PROFILE AND KIT FOR FRONTAL	Profile length mm	PACKAGE DIMENSIONS mm	PACKAGE WEIGHT Kg
VE80QDCA07033A	700	95 x 743 x H 80	1.1
VE80QDCA09033A	900	95 x 943 x H 80	1.4
VE80QDCA12533A	1250	95 x 1293 x H 80	1.9

[illegible]

Runner length (LN) mm	Drawer width (L) mm	Frontal width (LF) mm	Internal width (L1) mm	Drawer depth (P) mm + wooden frontal 12 mm	Drawer depth (P) mm + wooden frontal 19 mm	Internal depth (P1) mm
400	LV - 15	LV - 6	L - 80	440	447	386
450				490	497	436
470				510	517	456



Modular drawer

3-SIDED H 128 - wooden frontal

ALUMINIUM 3-SIDED DRAWER H 128


WOODEN FRONTAL H 150

- Profile height: 128 mm
- Max. drawer width: min. 250 mm - max. 1250 mm
- Side material: epoxy-coated aluminium
- Side finish: metal grey brown
- Corners material: ABS
- Corners finish: metal grey brown
- Integrated height and depth adjustments
- Equipped with anti-tipping device
- Back to cut to length with gasket to insert
- Side supplied with gasket to be inserted and with Futura full-extension runners (CHART 1)
- Kit for the wooden frontal fixing, to be ordered separately (CHART 2)
- Frontal and bottom not included
- Bottom can be made of wood or glass







LV = cabinet width


ASSEMBLY WITH WOODEN FRONTAL, 12 mm THICKNESS



ASSEMBLY WITH WOODEN FRONTAL, 19 mm THICKNESS



INTERNAL DIMENSIONS



* internal dimensions from the corners

COMPONENTS

1. Joints for back profile
2. Back corners
3. Screws TPS DELTA PT 4x23 mm
- 3A. Screws TPS 3.5x13 mm Black
4. Back profile
5. Side profiles

Kit for the frontal fixing

(to be ordered separately)

6. Euroscrews TPSV 6.3x14 mm
7. Fixing caps
8. Aluminium profile
9. Connecting elements for the frontal
10. Screws TPS M 4x12 mm





CHART 1

PART NUMBER KIT RUNNERS AND SIDE PROFILES	Runner length (LN) mm	Drawer depth (P) mm	PACKAGE DIMENSIONS mm	PACKAGE WEIGHT Kg
VE80QFAG40033A	400	440	121 x 681 x H 146	3.5
VE80QFAG45033A	450	490	121 x 731 x H 146	4
VE80QFAG47033A	470	510	121 x 751 x H 146	4.2

CHART 2

PART NUMBER KIT BACK PROFILE AND KIT FOR FRONTAL	Profile length mm	PACKAGE DIMENSIONS mm	PACKAGE WEIGHT Kg
VE80QFCA07033A	700	145 x 743 x H 80	1.5
VE80QFCA09033A	900	145 x 943 x H 80	2
VE80QFCA12533A	1250	145 x 1293 x H 80	2.7

FRONTAL DRILLING





Runner length (LN) mm	Drawer width (L) mm	Frontal width (LF) mm	Internal width (L1) mm	Drawer depth (P) mm + wooden frontal 12 mm	Drawer depth (P) mm + wooden frontal 19 mm	Internal depth (P1) mm
400	LV - 15	LV - 6	L - 80	440	447	386
450				490	497	436
470				510	517	456

Modular drawer




4-SIDED H 52

ALUMINIUM 4-SIDED DRAWER H 52


- Profile height: 52 mm
- Max. drawer width: min. 250 mm - max. 1250 mm
- Side material: epoxy-coated aluminium
- Side finish: metal grey brown
- Corners material: ABS
- Corners finish: metal grey brown
- Integrated height and depth adjustments
- Equipped with anti-tipping device
- Side supplied with gasket to be inserted and with Futura full-extension runners (CHART 1)
- Back and frontal to cut to length with gasket to be inserted (CHART 2)
- Bottom not included
- Bottom can be made of wood or glass



LV = cabinet width



INTERNAL DIMENSIONS



* internal dimensions from the corners

COMPONENTS

1. Joints for back profile
2. Back corners
3. Screws TPS DELTA PT 4x23 mm
4. Back profile
5. Side profiles
6. Joints for front profile
7. Front corners
8. Front profile




CHART 1

PART NUMBER KIT RUNNERS AND SIDE PROFILES	Runner length (LN) mm	Drawer depth (P) mm	PACKAGE DIMENSIONS mm	PACKAGE WEIGHT Kg
VE80QAAG40033A	400	440	121 x 681 x H 116	2.7
VE80QAAG45033A	450	490	121 x 731 x H 116	3.1
VE80QAAG47033A	470	510	121 x 751 x H 116	3.3

CHART 2

PART NUMBER KIT BACK AND FRONT PROFILE	Profile length mm	PACKAGE DIMENSIONS mm	PACKAGE WEIGHT Kg
VE80QABA07033A	700	95 x 743 x H 80	1.2
VE80QABA09033A	900	95 x 943 x H 80	1.6
VE80QABA12533A	1250	95 x 1293 x H 80	2.2



Runner length (LN) mm	Drawer width (L) mm	Internal width (L1) mm	Drawer depth (P) mm	Internal depth (P1) mm
400	LV - 15	L - 84	440	356
450			490	406
470			510	426

Modular drawer





4-sided H 78

ALUMINIUM 4-SIDED DRAWER H 78


- Profile height: 78 mm
- Max. drawer width: min. 250 mm - max. 1250 mm
- Side material: epoxy-coated aluminium
- Side finish: metal grey brown
- Corners material: ABS
- Corners finish: metal grey brown
- Integrated height and depth adjustments
- Equipped with anti-tipping device
- Side supplied with gasket to be inserted and with Futura full-extension runners (CHART 1)
- Back and frontal to cut to length with gasket to be inserted (CHART 2)
- Bottom not included
- Bottom can be made of wood or glass



LV = cabinet width



INTERNAL DIMENSIONS



* internal dimensions from the corners

COMPONENTS

1. Joints for back profile
2. Back corners
3. Screws TPS DELTA PT 4x23 mm
4. Back profile
5. Side profiles
6. Joints for front profile
7. Front corners
8. Front profile




CHART 1

PART NUMBER KIT RUNNERS AND SIDE PROFILES	Runner length (LN) mm	Drawer depth (P) mm	PACKAGE DIMENSIONS mm	PACKAGE WEIGHT Kg
VE80QCAG40033A	400	440	121 x 681 x H 116	2.9
VE80QCAG45033A	450	490	121 x 731 x H 116	3.3
VE80QCAG47033A	470	510	121 x 751 x H 116	3.6

CHART 2

PART NUMBER KIT BACK AND FRONT PROFILE	Profile length mm	PACKAGE DIMENSIONS mm	PACKAGE WEIGHT Kg
VE80QCBA07033A	700	95 x 743 x H 80	1.5
VE80QCBA09033A	900	95 x 943 x H 80	1.9
VE80QCBA12533A	1250	95 x 1293 x H 80	2.7



Runner length (LN) mm	Drawer width (L) mm	Internal width (L1) mm	Drawer depth (P) mm	Internal depth (P1) mm
400	LV - 15	L - 84	440	356
450			490	406
470			510	426

Modular drawer





4-SIDED H 128

ALUMINIUM 4-SIDED DRAWER H 128


- Profile height: 128 mm
- Max. drawer width: min. 250 mm - max. 1250 mm
- Side material: epoxy-coated aluminium
- Side finish: metal grey brown
- Corners material: ABS
- Corners finish: metal grey brown
- Integrated height and depth adjustments
- Equipped with anti-tipping device
- Side supplied with gasket to be inserted and with Futura full-extension runners (CHART 1)
- Back and frontal to cut to length with gasket to be inserted (CHART 2)
- Bottom not included
- Bottom can be made of wood or glass



LV = cabinet width



INTERNAL DIMENSIONS



* internal dimensions from the corners

COMPONENTS

1. Joints for back profile
2. Back corners
3. Screws TPS DELTA PT 4x23 mm
- 3A. Screws TPS 3.5x13 mm Black
4. Back profile
5. Side profiles
6. Joints for front profile
7. Front corners
8. Front profile




CHART 1

PART NUMBER KIT RUNNERS AND SIDE PROFILES	Runner length (LN) mm	Drawer depth (P) mm	PACKAGE DIMENSIONS mm	PACKAGE WEIGHT Kg
VE80QEAG40033A	400	440	121 x 681 x H 146	3.4
VE80QEAG45033A	450	490	121 x 731 x H 146	3.9
VE80QEAG47033A	470	510	121 x 751 x H 146	4.1

CHART 2

PART NUMBER KIT BACK AND FRONT PROFILE	Profile length mm	PACKAGE DIMENSIONS mm	PACKAGE WEIGHT Kg
VE80QEBA07033A	700	145 x 743 x H 80	2.3
VE80QEBA09033A	900	145 x 943 x H 80	2.9
VE80QEBA12533A	1250	145 x 1293 x H 80	4

Runner length (LN) mm	Drawer width (L) mm	Internal width (L1) mm	Drawer depth (P) mm	Internal depth (P1) mm
400	LV - 15	L - 84	440	356
450			490	406
470			510	426



Modular drawer

TROUSERS HANGER FOR DRAWER

- Rail material: epoxy-coated aluminium
- Finish: metal grey brown
- Recommended quantity: 7 pieces/500 mm
- Complete with soft trim on the upper surface to hold the trousers in place
- Rail supplied with nylon supports for easy location and sliding on the frame





FOR 3-SIDED DRAWER



PART NUMBER	Runner length (LN) mm	Drawer depth (P) mm + wooden frontal 12 mm	Rail length (PT) mm
VE80FXEA20533B	400	440	357
VE80FXEA20633B	450	490	407
VE80FXEA20733B	470	510	427

FOR 4-SIDED DRAWER





PART NUMBER	Runner length (LN) mm	Drawer depth (P) mm	Rail length (PT) mm
VE80FXEA10533B	400	440	331
VE80FXEA10633B	450	490	381
VE80FXEA10733B	470	510	401

SKIRT HANGER FOR DRAWER

- Rail material: epoxy-coated aluminium
- Clip material: nylon
- Finish: metal grey brown
- Recommended quantity: 7 pieces/500 mm
- Complete with clips for skirts
- Rail supplied with nylon supports for easy location and sliding on the frame





FOR 3-SIDED DRAWER



PART NUMBER	Runner length (LN) mm	Drawer depth (P) mm + wooden frontal 12 mm	Rail length (PT) mm
VE80FXFA20533B	400	440	357
VE80FXFA20633B	450	490	407
VE80FXFA20733B	470	510	427

FOR 4-SIDED DRAWER




PART NUMBER	Runner length (LN) mm	Drawer depth (P) mm	Rail length (PT) mm
VE80FXFA10533B	400	440	331
VE80FXFA10633B	450	490	381
VE80FXFA10733B	470	510	401

Adjustments


Depth adjustment +2 -2 mm

Rotate the wheel towards the front of the drawer to move the drawer forward.
Rotate the wheel towards the back of the drawer to move the drawer backward.
This operation is tool free.



Height adjustment +5 mm

Rotate the lever towards the frontal of the drawer for the height adjustment.
This operation is tool free.





*Modular
shelf*

Modular shelf



Aluminium frame H 36 mm

Shelf with aluminium frame


- Profile height: 36 mm
- Material: epoxy-coated aluminium
- Finish: metal grey brown
- Max. width: 1250 mm
- Fixing: side fixed with lock device clip
- Complete with gasket to hold glass inlay in position
- Glass not supplied
- Available without LED light or with 3000K/4000K Dual colour, 24V LED light
- 3 metre power extension cable included
- Consumption: 13W/M



Shelf WITHOUT LED light




Front profile
without LED




Side profiles


Shelf WITH LED light



Access hole for electric cable




Front profile
with LED





Side profiles

PART NUMBER KIT SHELF WITHOUT LED LIGHT	SHELF LENGTH (L) max mm	SHELF DEPTH (P) mm	FIXING HOLES DISTANCE (X) mm	PACKAGE DIMENSIONS mm	PACKAGE WEIGHT Kg
VE80SAAA00101A	900	from 250 to 400	160	100 x 14 x H 6.5	1.9
VE80SAAA00201A	900	from 401 to 650	320	100 x 14 x H 6.5	2.2
VE80SAAA00301A	1250	from 250 to 400	160	132 x 14 x H 6.5	2.5
VE80SAAA00401A	1250	from 401 to 650	320	132 x 14 x H 6.5	2.8

PART NUMBER KIT SHELF WITH LED LIGHT	SHELF LENGTH (L) max mm	SHELF DEPTH (P) mm	FIXING HOLES DISTANCE (X) mm	PACKAGE DIMENSIONS mm	PACKAGE WEIGHT Kg
VE80SABA00101A	900	from 250 to 400	160	100 x 14 x H 6.5	2.1
VE80SABA00201A	900	from 401 to 650	320	100 x 14 x H 6.5	2.4
VE80SABA00301A	1250	from 250 to 400	160	132 x 14 x H 6.5	2.7
VE80SABA00401A	1250	from 401 to 650	320	132 x 14 x H 6.5	3



Internal width (L1) mm	Internal depth (P1) mm
L - 11.2	P - 11.2



Modular shelf

Aluminium frame H 36


VE80DAHA0133B = Hanger rail for clothes, 1000 mm length

VE80DAHA0233B = Hanger rail for clothes, 1500 mm length


VE80GMRA00533B = Side rail-holder supports

Hanger rail for clothes and rail-holder supports for shelf with aluminium frame H 36


- Hanger rail material: epoxy-coated aluminium, section 15 x 30 mm
- Supports material: epoxy-coated die-cast
- Finish: metal grey brown
- Max. recommended load capacity:
 - up to 1200 mm width: 30 Kg
- Packing: 20 pieces per box.




Hanger rail length = Shelf width - 84 mm




Grub screw to remove before starting the operation




Screw-fix the adapters to the shelf




Insert the hanger rail into the rail-holders and insert them into the adapters



Screw-fix the rail-holders to the adapters



Front view





*Electrical components
for modular shelf*

Electrical components for modular shelf

Transformers

	Code number	Description	 2MT
1	VE80EAMA101XXA	Transformer 120/240 24V 90W 8U. + cable UE (1/1)	
	VE80EAMA102XXA	Transformer 120/240 24V 90W 8U. + cable UK (1/1)	
	VE80EAMA103XXA	Transformer 120/240 24V 90W 8U. + cable US (1/1)	
	VE80EAMA104XXA	Transformer 120/240 24V 90W 8U. + cable CN (1/1)	

	Code number	Description	 2MT 
4	VE80EAMA121XXA	Transformer EDC 120/240 24V 90W 8U. + cable UE (1/1)	
	VE80EAMA122XXA	Transformer EDC 120/240 24V 90W 8U. + cable UK (1/1)	
	VE80EAMA123XXA	Transformer EDC 120/240 24V 90W 8U. + cable US (1/1)	
	VE80EAMA124XXA	Transformer EDC 120/240 24V 90W 8U. + cable CN (1/1)	

Wireless controls

	Code number	Description	
9	VE80EBXA001XXA	Wall mounted wireless control with dimmer function for light intensity and colour temperature. It transforms the standard buttons in wireless control.	
5	VE80EBXA102XXA	Wireless control with dimmer function for light intensity and colour temperature.	
6	VE80EBXA003XXA	Recessed wireless touch control with dimmer function for light intensity and colour temperature.	
7	VE80EBXA104XXA	Wireless touch and PIR (Passive infrared) control with dimmer function for light intensity and colour temperature.	



EDC function
(Emotion Dual Color):
colour temperature
varies from "warm"
to "natural"



Dimmer function



Range:
15 m internal area



Battery type:
CR2450



Estimated battery
life:
3 years



* Compatible
with transformer
with wireless
control receiver

	Code Number	Movement sensor (IR) recessed mounted for single door	
11	VE80EBMA123XXA	IR DOOR TUBE - White - 1 door	
	VE80EBMA124XXA	IR DOOR TUBE - Black - 1 door	

	Code Number	Movement sensor (IR) recessed mounted for double door	
12	VE80EBMA125XXA	IR DOOR TUBE - White - 2 doors*	 * x2
	VE80EBMA126XXA	IR DOOR TUBE - Black - 2 doors*	

	Code Number	Proximity sensor (PIR) recessed mounted	
13	VE80EBMA121XXA	PIR sensor on 2 metre long cable Mono 24 V DC 4 Max 5 A total, max 3 A/output	


	Code Number	Proximity sensor (IR) recessed mounted	
14	VE80EBMA122XXA	IR Infrared sensor on 2 metre long cable Mono 24 V DC 4 Max 5 A total, max 3 A/output	

	Code Number	Wired module for IR and PIR sensors	
10	VE80EMA101XXA	WIRED module for proximity and movement sensors. One module is controlled by a sensor and has 4 outputs	


Electrical components for modular shelf

Application examples


Activation by domestic switch




Activation by smart switch controller



Activation with 1 or 2 IR sensors - Surface mounted/Recessed





Activation with 1 smart controller




Electrical components for modular shelf

Application examples


Activation with 1 smart touch or smart sensor controller



Activation with Smart 1 PIR controller



Activation with Smart 1 IR controller



HEADQUARTERS AND PRODUCTION UNITS

ARTURO SALICE S.p.A.

HEAD OFFICE

VIA PROVINCIALE NOVEDRATESE, 10
22060 NOVEDRATE (COMO) ITALIA
TEL. 031 790424 - FAX 031 791508
info.salice@salice.com
www.salice.com

ARTURO SALICE S.p.A.

VIA ARISTIDE MERLONI, 11
61036 COLLI AL METAURO (PU)
ITALIA
TEL. 0721 899800
FAX 0721 897980
info.salice@salice.com
www.salice.com

BORTOLUZZI SISTEMI S.p.A.

VIA CADUTI 14 SETTEMBRE 1944, 45
32100 BELLUNO (BL) ITALIA
TEL. 0437 930866
FAX 0437 931442
info@bortoluzzi.com
www.salice.com

NUOVA ATIM S.r.l.

VIA IV NOVEMBRE, 52
20019 SETTIMO MILANESE (MI) ITALIA
TEL. 02 33503203
FAX 02 33516514
info@atimspa.com
www.atimspa.com

BRANCHES

DEUTSCHE SALICE GMBH

RUDOLF DIESEL STR. 10
74382 NECKARWESTHEIM
TEL. 07133 9807-0
FAX. 07133 9807-16
info.salice@deutschesalice.de
www.salice.com

DEUTSCHE SALICE GMBH

VERKAUFSBÜRO NORD
RINGSTRASSE 36/A30 CENTER
32584 LÖHNE
TEL. 05731 15608-0
FAX. 05731 15608-10
vknord@deutschesalice.de
www.salice.com

SALICE UK LTD.

KINGFISHER WAY
HINCHINGBROOKE BUSINESS PARK
HUNTINGDON CAMBS PE 29 6FN
TEL. 01480 413831
FAX. 01480 451489
info.salice@saliceuk.co.uk
www.salice.com

SALICE FRANCE S.A.R.L.

285 RUE DE GOA ZAC LES 3 MOULINS
06600 ANTIBES
TEL. 0493 330069
FAX. 0493 330141
info.salice@salicefrance.com
www.salice.com

SALICE ESPAÑA, S.L.U.

C/ AIGUAFREDA 4, P.I. AMETLLA PARK
08480 L'AMETLLA DEL VALLÈS (BARCELONA)
TEL. 0034 938 46 88 61
info.salice@saliceespana.es
www.salice.com

SALICE PORTUGAL UNIP. LDA

SHOWROOM:
TV SÁ E MELO 161 FA
4470-116 MAIA - PORTO
TEL: 00351 224 154 221
Info@saliceportugal.pt
www.salice.com

ARMAZÉM:

VIA ROTA DOS MÓVEIS I 399
4585-325 GANDRA

SALICE CHINA (SHANGHAI) CO. LTD.

RM 602, 6/F, TOWER 1,
3688 YINGGANG DONG ROAD
QINGPU DISTRICT
201703 SHANGHAI, CHINA
TEL. 021 3988-9880
info.salice@salicechina.com
www.salicechina.com

SALICE INDIA PVT. LTD.

1001 & 1002, 10TH FLOOR,
CENTRUM, PLOT NO. C-3,
OPP. WAGLE PRABHAG SAMITI OFFICE,
MIDC AREA, WAGLE INDUSTRIAL ESTATE,
THANE - 400604, MAHARASHTRA
TEL. 022 20812050
info@saliceindia.com
www.salice.com

SALICE CANADA INC.

3500 RIDGEWAY DRIVE,
UNIT#1
MISSISSAUGA, ONTARIO, L5L 0B4
TEL. 905 820 8787
FAX. 905 820 7226
info.salice@salicecanada.com
www.salicecanada.com

SALICE AMERICA INC.

2123 CROWN CENTRE DRIVE
CHARLOTTE NC. 28227
TEL. 704 841 7810
FAX. 704 841 7808
info.salice@saliceamerica.com
www.saliceamerica.com

ARTURO SALICE S.p.A.

HEAD OFFICE

VIA PROVINCIALE NOVEDRATESE, 10
22060 NOVEDRATE (COMO) ITALIA
TEL. 031 790424 - FAX 031 791508

info.salice@salice.com
www.salice.com



Digital contents