SALICE



Adapto

Catalogue ENG

Adapto



Adapto

Precision in movement, excellence in runners.

- System with four adjustments: side, height and tilt adjustments directly on the drawer; depth adjustment via clips.
- A uniform drawer front drilling pattern for all heights, designed to optimise workflows and reduce production variables.
- Full compatibility with Progressa, Progressa+ and Futura runners for stability and fluid movement at the top of their class.

Space with boundless elegance.

- A clean, essential design in true Salice style, available in four elegant finishes (Signal White, Silk Grey, Dusty Grey and Traffic Black).
- Available in a 2-sided configuration, in three standard heights, complemented by stacked elements and railing.
- Quick-fixing drawer sides for simple assembly, fast installation steps and a high perceived quality.

Adapto



Adapto

Precision in movement, excellence in runners.
Developed to integrate seamlessly with Progressa, Progressa+ and Futura runners, Adapto ensures fluid, silent movement that remains consistent over time.

Its advanced engineering and integrated three-dimensional adjustments enable millimetre-precise alignment and impeccable stability, while simplifying industrial drilling and assembly processes.

Adapto



Adapto

Space with boundless elegance.
With its thin sides and clean, understated aesthetics, Adapto transforms the drawer into a discreet, refined furnishing element.

The extensive modularity of the range, with different heights, matt finishes and special configurations, offers maximum design freedom, adapting naturally to kitchens, living rooms, bathrooms and bedrooms.

Adapto

Index

2-Sided

Steel side T - H 127 mm 12
Steel side K - H 177 mm 14
Steel side S - H 89 mm 16

2-Sided Stacked side

Steel side HS - H 209 mm (120 mm+89 mm) 20
Steel side FS - H 273 mm (184 mm+89 mm) 22

2-Sided Railing

Steel side RR - Railing - H 209 mm (Railing+89 mm) 26

Assembly details


2-Sided 30
2-Sided Stacked side 32
2-Sided Railing 34

Adapto


fourth edition
jill collis
roger hu
fourth edition
jill collis
roger hu
SALICE

2-Sided

Adapto



2-Sided Steel side T - H 127 mm

Technical information


Adapto metal sides in steel, wooden bottom and back panel.
Height of the side 127 mm - Internal height 98 mm.
For use with Progressa, Progressa+ and Futura full-extension runners.


Available kit for the composition of a drawer including a pair of runners.
Rapid assembly system, with no machinery needed.
Rapid mounting and removal of drawer frontal.
3 way adjustment of the drawer:

- height adjustment
- sideways adjustment
- tilt adjustment of the back panel

Depth adjustment via clips
Bottom thickness: 16 mm
Side material: steel
Finishes: Signal White, Silk Grey, Dusty Grey, Traffic Black


Setting of the back and the bottom of the drawer






Elements of the drawer


1 Back connecting fitting
2 Side
3 Frontal connecting fitting




Dimensions



Dimensions of the metal side




Frontal drilling



D = Frontal overlay on side of the cabinet

Y = Distance from the lower edge of the frontal to the Adapto side

Back drilling



Adapto



2-Sided Steel side K - H 177 mm

Technical information


Adapto metal sides in steel, wooden bottom and back panel.
Height of the side 177 mm - Internal height 148 mm.
For use with Progressa, Progressa+ and Futura full-extension runners.


Available kit for the composition of a drawer including a pair of runners.
Rapid assembly system, with no machinery needed.
Rapid mounting and removal of drawer frontal.
3 way adjustment of the drawer:

- height adjustment
- sideways adjustment
- tilt adjustment of the back panel

Depth adjustment via clips
Bottom thickness: 16 mm
Side material: steel
Finishes: Signal White, Silk Grey, Dusty Grey, Traffic Black


Setting of the back and the bottom of the drawer






Elements of the drawer


1 Back connecting fitting
2 Side
3 Frontal connecting fitting
4 Stabilizing frontal connecting fitting




Dimensions



Dimensions of the metal side




Frontal drilling




D = Frontal overlay on side of the cabinet

Y = Distance from the lower edge of the frontal to the Adapto side

Back drilling



Adapto



2-Sided Steel side S - H 89 mm

Technical information


Adapto metal sides in steel, wooden bottom and back panel.
Height of the side 89 mm - Internal height 60 mm.
For use with Progressa, Progressa+ and Futura full-extension runners.


Available kit for the composition of a drawer including a pair of runners.
Rapid assembly system, with no machinery needed.
Rapid mounting and removal of drawer frontal.
3 way adjustment of the drawer:

- height adjustment
- sideways adjustment
- tilt adjustment of the back panel

Depth adjustment via clips
Bottom thickness: 16 mm
Side material: steel
Finishes: Signal White, Silk Grey, Dusty Grey, Traffic Black


Setting of the back and the bottom of the drawer






Elements of the drawer


1 Back connecting fitting
2 Side
3 Frontal connecting fitting




Dimensions



Dimensions of the metal side




Frontal drilling



D = Frontal overlay on side of the cabinet

Y = Distance from the lower edge of the frontal to the Adapto side

Back drilling



Adapto



2-Sided Stacked side

Adapto



2-Sided Stacked steel side HS - H 209 mm (120 mm+89 mm)

Technical information


Adapto metal sides in steel, wooden bottom and back panel.
Height of the side 209 mm - Internal height 180 mm, with 120 mm H side extensions fitted to the 89 mm S side.
For use with Progressa, Progressa+ and Futura full-extension runners.


Available kit for the composition of a drawer including a pair of runners.
Rapid assembly system, with no machinery needed.
Rapid mounting and removal of drawer frontal.
3 way adjustment of the drawer:

- height adjustment
- sideways adjustment
- tilt adjustment of the back panel

Depth adjustment via clips
Bottom thickness: 16 mm
Side material: steel
Finishes: Signal White, Silk Grey, Dusty Grey, Traffic Black


Setting of the back and the bottom of the drawer






Elements of the drawer


1 Back connecting fitting
2 Side
2A Side extension
3 Frontal connecting fitting
4 Stabilizing frontal connecting fitting




Dimensions



Dimensions of the metal side




Frontal drilling



D = Frontal overlay on side of the cabinet

Y = Distance from the lower edge of the frontal to the Adapto side

Back drilling



Adapto



2-Sided Stacked steel side FS - H 273 mm (184 mm+89 mm)

Technical information


Adapto metal sides in steel, wooden bottom and back panel.
Height of the side 273 mm - Internal height 244 mm, with 184 mm F side extensions fitted to the 89 mm S sides.
For use with Progressa, Progressa+ and Futura full-extension runners.


Available kit for the composition of a drawer including a pair of runners.
Rapid assembly system, with no machinery needed.
Rapid mounting and removal of drawer frontal.
3 way adjustment of the drawer:

- height adjustment
- sideways adjustment
- tilt adjustment of the back panel

Depth adjustment via clips
Bottom thickness: 16 mm
Side material: steel
Finishes: Signal White, Silk Grey, Dusty Grey, Traffic Black


Setting of the back and the bottom of the drawer






Elements of the drawer


1 Back connecting fitting
2 Side
2A Side extension
3 Frontal connecting fitting
4 Stabilizing frontal connecting fitting




Dimensions



Dimensions of the metal side




Frontal drilling



D = Frontal overlay on side of the cabinet

Y = Distance from the lower edge of the frontal to the Adapto side

Back drilling



Adapto



2 Lati Railing

Adapto



2-Sided Steel side RR - Railing - H 209 mm (Railing+89 mm)

Technical information


Adapto metal sides in steel, wooden bottom and back panel.
Height of the side 209 mm - Internal height 180 mm, with Railing RR combined with the 89 mm S sides.
For use with Progressa, Progressa+ and Futura full-extension runners.


Available kit for the composition of a drawer including a pair of runners.
Rapid assembly system, with no machinery needed.
Rapid mounting and removal of drawer frontal.
3 way adjustment of the drawer:

- height adjustment
- sideways adjustment
- tilt adjustment of the back panel

Depth adjustment via clips
Bottom thickness: 16 mm
Side material: steel
Finishes: Signal White, Silk Grey, Dusty Grey, Traffic Black


Setting of the back and the bottom of the drawer






Elements of the drawer


1 Back connecting fitting
2 Side
2A Railing
3 Frontal connecting fitting
4 Stabilizing frontal connecting fitting




Dimensions



Dimensions of the metal side



Frontal drilling



D = Frontal overlay on side of the cabinet

Y = Distance from the lower edge of the frontal to the Adapto side

Back drilling




Adapto





Assembly details

Adapto


Assembly details - 2-Sided










Screw fixing




Fixing with expanding dowel












Screw fixing




Adapto


Assembly details - 2-Sided Stacked side










Screw fixing




Fixing with expanding dowel












Screw fixing




Adapto


Assembly details - 2-Sided Railing










Screw fixing




Fixing with expanding dowel











Screw fixing





Adapto

Finishes

SIGNAL WHITE
RAL 9003



SILK GREY
RAL 7044



DUSTY GREY
RAL 7037



TRAFFIC BLACK
RAL 9017

HEADQUARTERS AND PRODUCTION UNITS

ARTURO SALICE S.p.A.

HEAD OFFICE
VIA PROVINCIALE NOVEDRATESE, 10
22060 NOVEDRATE (COMO) ITALIA
TEL. 031 790424 - FAX 031 791508
info.salice@salice.com
www.salice.com

ARTURO SALICE S.p.A.
VIA ARISTIDE MERLONI, 11
61036 COLLI AL METAURO (PU) ITALIA
TEL. 0721 899800
FAX 0721 897980
info.salice@salice.com
www.salice.com

BORTOLUZZI SISTEMI S.p.A.
VIA CADUTI 14 SETTEMBRE 1944, 45
32100 BELLUNO (BL) ITALIA
TEL. 0437 930866
FAX 0437 931442
info@bortoluzzi.com
www.salice.com

NUOVA ATIM S.r.l.
VIA IV NOVEMBRE, 52
20019 SETTIMO MILANESE (MI) ITALIA
TEL. 02 33503203
FAX 02 33516514
info@atimspa.com
www.salice.com

VILLES S.r.l.
VIA CASTOLDI, 6/8
20090 TREZZANO SUL NAVIGLIO (MI) ITALIA
TEL. 02 4452083
FAX 02 4452838
info@villes2000.com
www.villes2000.com

BRANCHES

DEUTSCHE SALICE GMBH
RUDOLF DIESEL STR. 10
74382 NECKARWESTHEIM
TEL. 07133 9807-0
FAX. 07133 9807-16
info.salice@deutschesalice.de
www.salice.com

DEUTSCHE SALICE GMBH
VERKAUFSBÜRO NORD
RINGSTRASSE 36/A30 CENTER
32584 LÖHNE
TEL. 05731 15608-0
FAX. 05731 15608-10
vknord@deutschesalice.de
www.salice.com

SALICE UK LTD.
KINGFISHER WAY
HINCHINGBROOKE BUSINESS PARK
HUNTINGDON CAMBS PE 29 6FN
TEL. 01480 413831
FAX. 01480 451489
info.salice@saliceuk.co.uk
www.salice.com

SALICE FRANCE S.A.R.L.
285 RUE DE GOA ZAC LES 3 MOULINS
06600 ANTIBES
TEL. 0493 330069
FAX. 0493 330141
info.salice@salicefrance.com
www.salice.com

SALICE ESPAÑA, S.L.U.
C/ AIGUAFREDA 4, P.I. AMETLLA PARK
08480 L'AMETLLA DEL VALLÈS (BARCELONA)
TEL. 0034 938 46 88 61
info.salice@saliceespana.es
www.salice.com

SALICE PORTUGAL UNIP. LDA
SHOWROOM:
TV SÁ E MELO 161 FA
4470-116 MAIA - PORTO
TEL: 00351 224 154 221
Info@saliceportugal.pt
www.salice.com
ARMAZÉM:
VIA ROTA DOS MÓVEIS I 399
4585-325 GANDRA

SALICE CHINA (SHANGHAI) CO. LTD.
RM 602, 6/F, TOWER 1,
3688 YINGGANG DONG ROAD
QINGPU DISTRICT
201703 SHANGHAI, CHINA
TEL. 021 3988-9880
info.salice@salicechina.com
www.salicechina.com

SALICE INDIA PVT. LTD.
1001 & 1002, 10TH FLOOR,
CENTRUM, PLOT NO. C-3,
OPP. WAGLE PRABHAG SAMITI OFFICE,
MIDC AREA, WAGLE INDUSTRIAL ESTATE,
THANE - 400604, MAHARASHTRA
TEL. 022 20812050
info@saliceindia.com
www.salice.com

SALICE CANADA INC.
3500 RIDGEWAY DRIVE,
UNIT#1
MISSISSAUGA, ONTARIO, L5L 0B4
TEL. 905 820 8787
FAX. 905 820 7226
info.salice@salicecanada.com
www.salicecanada.com

SALICE AMERICA INC.
2123 CROWN CENTRE DRIVE
CHARLOTTE NC. 28227
TEL. 704 841 7810
FAX. 704 841 7808
info.salice@saliceamerica.com
www.saliceamerica.com

We reserve the right to change technical specifications.

ARTURO SALICE S.p.A.

HEAD OFFICE

VIA PROVINCIALE NOVEDRATESE, 10
22060 NOVEDRATE (COMO) ITALIA
TEL. 031 790424 - FAX 031 791508

info.salice@salice.com
www.salice.com

Digital contents

D0CASG018ENG Ed. 01 - 10/2026