




Shelf

SALICE

Shelf - Runner for pull-out shelves

The Shelf runner for pull-out shelves with fixing on the bottom can be used in various contexts as kitchens, display stands for shops, living room and office furniture. This runner enables shelves to slide forward for easy access.


It is available with full-extension, all lengths, with Push opening for handle-less furniture and with Smove decelerated closing.



Fixing


Plan view - Full-extension

350 - 600



Y = Min. 15 mm

With very large shelves, it is possible to increase the number of runners, in order to improve the load capacity and the stability of the shelf.




Y = Min. 15 mm

Shelf - clip



Clip fixing

Y = Min. 15 mm



Shelf adjustment


Shelf height adjustment
(+ 2,5 mm) using the lever
indicated



Shelf - 3 way adjustable clip



Clip fixing

Y = Min. 15 mm





Shelf adjustment



Height adjustment
+ 2.5 mm



Sideways adjustment
+ 1.5 mm - 1.5 mm




Depth adjustment
+ 2 mm - 2 mm



Shelf - Fixing of the support for the rear hook

Fixing on the pull-out shelf with a minimum thickness of 12 mm


Rear fixing on shelf



Y = Min. 15 mm

Fixing on the pull-out shelf with a minimum thickness of 16 mm

Rear fixing on shelf



Y = Min. 15 mm

Packing


Boxes = 20 pairs

Pallets:

FULL EXTENSION		
ARTICLE	LENGTH	PACKING
65579 PUSH	from 350 to 400	400 prs
65579 PUSH	from 450 to 600	320 prs
65559 SMOVE	from 350 to 400	300 prs
65559 SMOVE	from 450 to 600	280 prs




Part number composition - runners



1 0 710 00 010 1 0 0

Shelf clip


Packing = 100 pairs



1 0 750 00 010 1 0 0


Shelf with 3 way adjustable clip.

Packing = 100 pairs



825650000

Support for the rear hook



Industrial packing = 200 pcs.

With shelves of reduced thickness, min.12 mm, the runner can be used together with the support for the rear hook, thus eliminating the need for the rear hole in the shelf.

Shelf - Lock-open function for runners and drawers

AROSXXY


The shelf is held at the maximum opening position by means of a rear-fixed bracket and a magnet.

**Packing = 20 magnets, 20 brackets.
Screws included.**




Assembly instructions


1 A) Fixing the bracket, aligned with the back of the shelf.




1 B) Fixing the bracket to the shelf with the support for the rear hook. In this case, the bracket must be aligned to the support for the rear hook.




2) Fixing the magnet to the bottom.



3) The shelf is held at the maximum opening position.



Shelf - Push 65579 - Concealed runner




Full-extension runner fixed to the shelf by clip.

Push: the opening system for handle-less shelves is fully integrated in the runner.


A slight pressure of the frontal is sufficient for the shelf to self-open.

Product features

- Dynamic load capacity N 294 (Kg 30).
- Push opening system.
- Safety system that prevents the shelves from turning over.
- Shelf height adjustment +2.5 mm with clip 10 710.
- Shelf height adjustment +2.5 mm, side adjustment ± 1.5 mm, depth adjustment ± 2 mm with clip 10 750.
- The shelf is held in the closed position.
- Finish: bright zinc-plated.




Dimensions



Y = Min. 15 mm

Part number




To be screw fixed
Screw TSP $\varnothing$ 3,5 mm

BASIC PART NUMBER	RUNNER LENGTH (LN)	=	MIN. DEPTH OF THE CABINET (PM)
1 0 655 79 350 2 0 0	350		360
1 0 655 79 400 2 0 0	400		410
1 0 655 79 450 2 0 0	450		460
1 0 655 79 470 2 0 0	470		480
1 0 655 79 500 2 0 0	500		510
1 0 655 79 550 2 0 0	550		555
1 0 655 79 600 2 0 0	600		605

Support for the rear hook


Part number
825650000



Fixing the shelf onto the runners


Clip part number
1 0 710 00 010 1 0 0

Detail of the clip with tool free
integrated height adjustment.




Clip part number
1 0 750 00 010 1 0 0

Detail of the tool free integrated
3-way adjustment clip (height,
depth and side adjustment).



Shelf - Smove 65559 - Concealed runner




Full-extension runner fixed to the shelf by clip.


Smove: fully integrated in the runner, decelerates the closing action of the shelf.

Product features

- Dynamic load capacity N 294 (Kg 30).
- Smove decelerated closing.
- Safety system that prevents the shelves from turning over.
- Shelf height adjustment +2.5 mm with clip 10 710.
- Shelf height adjustment +2.5 mm, side adjustment ± 1.5 mm, depth adjustment ± 2 mm with clip 10 750.
- Finish: bright zinc-plated.




Dimensions



Y = Min. 15 mm

Part number




To be screw fixed
Screw TSP ø 3,5 mm

BASIC PART NUMBER	RUNNER LENGTH (LN)	=	MIN. DEPTH OF THE CABINET (PM)
1 0 655 59 350 2 0 0	350		360
1 0 655 59 400 2 0 0	400		410
1 0 655 59 450 2 0 0	450		460
1 0 655 59 470 2 0 0	470		480
1 0 655 59 500 2 0 0	500		510
1 0 655 59 550 2 0 0	550		555
1 0 655 59 600 2 0 0	600		605

Support for the rear hook


Part number
825650000



Fixing the shelf onto the runners


Clip part number
1 0 710 00 010 1 0 0

Detail of the clip with tool free
integrated height adjustment.



Clip part number
1 0 750 00 010 1 0 0

Detail of the tool free integrated
3-way adjustment clip (height,
depth and side adjustment).



HEADQUARTERS AND PRODUCTION UNITS

ARTURO SALICE S.p.A.

HEAD OFFICE

VIA PROVINCIALE NOVEDRATESE, 10
22060 NOVEDRATE (COMO) ITALIA
TEL. 031 790424 - FAX 031 791508
info.salice@salice.com
www.salice.com

ARTURO SALICE S.p.A.

VIA ARISTIDE MERLONI, 11
61036 COLLI AL METAURO (PU) ITALIA
TEL. 0721 899800
FAX 0721 897980
info.salice@salice.com
www.salice.com

BORTOLUZZI SISTEMI S.p.A.

VIA CADUTI 14 SETTEMBRE 1944, 45
32100 BELLUNO (BL) ITALIA
TEL. 0437 930866
FAX 0437 931442
info@bortoluzzi.com
www.bortoluzzi.com

NUOVA ATIM S.r.l.

VIA IV NOVEMBRE, 52
20019 SETTIMO MILANESE (MI) ITALIA
TEL. 02 33503203
FAX 02 33516514
info@atimspa.com
www.atimspa.com

BRANCHES

DEUTSCHE SALICE GMBH

RUDOLF DIESEL STR. 10
74382 NECKARWESTHEIM
TEL. 07133 9807-0
FAX. 07133 9807-16
info.salice@deutschesalice.de
www.salice.com

DEUTSCHE SALICE GMBH

VERKAUFSBÜRO NORD
RINGSTRASSE 36/A30 CENTER
32584 LÖHNE
TEL. 05731 15608-0
FAX. 05731 15608-10
vknord@deutschesalice.de
www.salice.com

SALICE UK LTD.

KINGFISHER WAY
HINCHINGBROOKE BUSINESS PARK
HUNTINGDON CAMBS PE 29 6FN
TEL. 01480 413831
FAX. 01480 451489
info.salice@saliceuk.co.uk
www.salice.com

SALICE FRANCE S.A.R.L.

285 RUE DE GOA ZAC LES 3 MOULINS
06600 ANTIBES
TEL. 0493 330069
FAX. 0493 330141
info.salice@salicefrance.com
www.salice.com

SALICE ESPAÑA, S.L.U.

C/ AIGUAFREDA 4, P.I. AMETLLA PARK
08480 L'AMETLLA DEL VALLÈS (BARCELONA)
TEL. 0034 938 46 88 61
info.salice@saliceespana.es
www.salice.com

SALICE PORTUGAL UNIP. LDA

SHOWROOM:
TV SÁ E MELO 161 FA
4470-116 MAIA - PORTO
TEL: 00351 224 154 221
Info@saliceportugal.pt
www.salice.com
ARMAZÉM:
VIA ROTA DOS MÓVEIS I 399
4585-325 GANDRA

SALICE CHINA (SHANGHAI) CO. LTD.

RM 602, 6/F, TOWER 1,
3688 YINGGANG DONG ROAD
QINGPU DISTRICT
201703 SHANGHAI, CHINA
TEL. 021 3988-9880
info.salice@salicechina.com
www.salicechina.com

SALICE INDIA PVT. LTD.

1001 & 1002, 10TH FLOOR,
CENTRUM, PLOT NO. C-3,
OPP. WAGLE PRABHAG SAMITI OFFICE,
MIDC AREA, WAGLE INDUSTRIAL ESTATE,
THANE - 400604, MAHARASHTRA
TEL. 022 20812050
info@saliceindia.com
www.salice.com

SALICE CANADA INC.

3500 RIDGEWAY DRIVE,
UNIT#1
MISSISSAUGA, ONTARIO, L5L 0B4
TEL. 905 820 8787
FAX. 905 820 7226
info.salice@salicecanada.com
www.salicecanada.com

SALICE AMERICA INC.


2123 CROWN CENTRE DRIVE
CHARLOTTE NC. 28227
TEL. 704 841 7810
FAX. 704 841 7808
info.salice@saliceamerica.com
www.saliceamerica.com

ARTURO SALICE S.p.A.

HEAD OFFICE

VIA PROVINCIALE NOVEDRATESE, 10
22060 NOVEDRATE (COMO) ITALIA
TEL. 031 790424 - FAX 031 791508

info.salice@salice.com
www.salice.com



Digital contents